



NT 75/2 Tact² Me Tc

High capacity, high filtration professional multi-purpose vacuum cleaner with twin motors and Tact² automatic filter clean system for heavy duty dust extraction.



1 Tilting chassis with container lock

- to keep the container securely attached to the chassis.



2 Drain hose for emptying liquids.

- Cover remains tightly closed until the contents are drained.



3 Suction pipes and floor nozzles can be stored in any direction in the accessory holders

- For easy access from all sides.
- Ample storage for a 4 m hose and rubber power cord (10 m).



4 Easy in, easy out with tilting chassis

- Simply tilt back the container and empty into the drain.
- High stability for easy emptying.



NT 75/2 Tact² Me Tc

- Automatic Filter Cleaning System Tact²
- Push handle and drain hose
- Moisture-proof PES filter

Technical data

Order Number		1.667-289.0
EAN code		4039784727274
Air flow	l/s	2 x 74
Vacuum	mbar / kPa	254 / 25,4
Container capacity	l	75
Max. rated input power	W	max. 2760
Standard nominal size		40
Sound level	dB(A)	73
Container material		Stainless steel
Quantity of motors		2
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	27,5
Dimensions (L x W x H)	mm	670 x 560 x 930

Equipment

Suction hose	m	4	Bend	■
Metal suction tube, 2 x 0.5 m		■	Sturdy bumper	■
Filter bag		Paper	Push handle	■
Wet and dry floor tool	mm	360	Safety class	II
Crevice nozzle		■	Caster with brake	■
Drain hose (oil-resistant)		■	Filter cleaning	Tact Filter Clean
Auto shutdown when max. level is reached		■	Maintenance-free suction fans	piece(s) 2
Eco filter system		■		
Stainless steel container		■		
Flat pleated filter		PES		
Tilting chassis		■		

■ Included in delivery.

ACCESSORIES FOR NT 75/2 TACT² ME TC

1.667-289.0

KÄRCHER


		Order Number	Quantity	ID	Length	Width	Price	Description	
Flat pleated filter (PES)									
Flat pleated filter (PES)	1	6.907-277.0	1 piece(s)					Flat pleated filter dust class M, rotproof PES fleece. Suitable for frequent wet pick up.	■
Paper filter (2 ply)									
Filter bags 5St. -NT 65/2 ECO	2	6.904-285.0	5 piece(s)					5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.	■
Plastic bend									
Plastic bend	3	5.031-904.0	1 piece(s)	ID 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	■
	4	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	□
	5	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
	6	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	□
All-purpose nozzles (wet/dry)									
Floor tool DN40-370	7	6.907-408.0	1 piece(s)	ID 40		360 mm			■
	8	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN40	9	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN35	10	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool DN35	11	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	□
Crevice nozzles									
Crevice nozzle DN40	12	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	■
Crevice nozzle DN35	13	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	□
Crevice nozzle	14	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
Crevice nozzle DN40	15	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
Suction tubes metal									
Suction tube	16	6.900-275.0	1 piece(s)	ID 40	0,5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	■
Suction tube DN35	17	6.900-514.0	1 piece(s)	ID 35	0,5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	□

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 75/2 TACT² ME TC

1.667-289.0

KÄRCHER


		Order Number	Quantity	ID	Length	Width	Price	Description	
Suction hoses (Clip-system)									
Suction hose	18	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	■
Suction hose (clip system), C 40, 10 m	19	6.906-279.0	1 piece(s)	40	10 m			10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end.	□
Suction hose	20	6.906-714.0	1 piece(s)	40	4 m			With bayonet and clip connection.	□
	21	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	□
Suction hose (Clip-system), C 40, 16 m	22	6.906-635.0	1 piece(s)	40	16 m			With bayonet and clip connection.	□
Suction hose (clip system), C 40, 10 m, el.	23	6.906-877.0	1 piece(s)	40	10 m			Suction hose with bayonet coupling, electrically conductive.	□
Suction hoses complete (Clip-system)									
Suction hose	24	4.440-678.0	1 piece(s)	ID 40	4 m			4 m electrically non-conductive suction hose with bend, bayonet at vacuum end and C 40 clip connection at accessory end. Without module.	■
Suction hose complete (Clip-system), C ID 40, 4 m, el.	25	4.440-728.0	1 piece(s)	ID 40	4 m			With bend and module (4.060-533.0), electrically conductive.	□
Hose packaged NW35 2.5m	26	2.889-133.0	1 piece(s)	ID 35	2,5 m				□
Hose packaged NW35 2.0m	27	2.889-161.0							□
Flat pleated filter (paper)									
Flat pleated filter (paper)	28	6.907-276.0	1 piece(s)					Flat pleated filter dust class M, nano-coated paper. Suitable for fine dust and dry dirt pick up.	□
Flachfaltenfilter (PTFE)									
	29	6.907-449.0	1 piece(s)						□
Membrane filter / fabric filter									
Membrane filter/fabric filter	30	6.904-282.0	1 piece(s)					Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.	□
HEPA filter for dust class H									
HEPA surface filter	31	6.904-364.0	1 piece(s)					HEPA surface filter - dust class H (H 14) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	□
Plastic sacks for dust-free disposal									
Plastic sacks for dust-free disposal	32	6.900-698.0	10 piece(s)					PE plastic sack.	□
Special filter bags, wet filter bags									
Special filter bags, wet filter bags	33	6.904-252.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	□
Bend stainless									
Bend, stainless steel ID 35	34	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	□
Bend, stainless steel ID 40	35	6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40	□
Bend metal									
Bend, DN 35, metal	36	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).	□
Bend, DN 40, metal	37	6.900-276.0	1 piece(s)	ID 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).	□
All-purpose brushes									
All-purpose brush	38	6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	□

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 75/2 TACT² ME TC

1.667-289.0

KÄRCHER


		Order Number	Quantity	ID	Length	Width	Price	Description	
Car cleaning nozzles									
Car nozzle	39	6.900-952.0	1 piece(s)	ID 40		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>
Gangway nozzles									
Wide nozzle	40	4.130-400.0	1 piece(s)	ID 40		611 mm		Wide metal nozzle, height adjustable with brush strip. Only suitable for Tc models.	<input type="checkbox"/>
Rubber tool									
Rubber nozzle, ID 40	41	4.763-057.0	1 piece(s)	40				Rubber.	<input type="checkbox"/>
Rubber suction tools, nose 45°									
Rubber suction tools, nose 45°	42	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
	43	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
Radiator brushes									
Brush heating element	44	6.903-034.0	1 piece(s)	ID 35				Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.	<input type="checkbox"/>
Pipe dusting nozzles									
BRUSH	45	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	<input type="checkbox"/>
	46	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	<input type="checkbox"/>
Suction tubes stainless steel									
Suction tube, ID 40	47	6.902-081.0	1 piece(s)	ID 40	0,5 m			Stainless steel suction tube (DN 40, 0,5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tube	48	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1,0 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tube, DN 35	49	6.902-154.0	1 piece(s)	ID 35	0,5 m				<input type="checkbox"/>
Suction tubes plastic									
Suction tube, DN 61	50	6.900-224.0						Plastic	<input type="checkbox"/>
Extension tube, metal									
Extension tube, metal, ID 35	51	6.904-276.0	1 piece(s)	35	250 mm			Extension tube, ID 35, chrome-plated metal. For extending a suction tube from 0,5 m to 0,75 m length.	<input type="checkbox"/>
Repair kits									
Repair set, C 40	52	2.639-873.0	1 piece(s)	ID 40				Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	<input type="checkbox"/>
Repair kit ID 61	53	2.862-038.0	1 piece(s)	ID 61				Suction hose repair kit. Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I.	<input type="checkbox"/>
Suction hoses (without connectors)									
Suction hose, DN 32 and 35 (without connectors)	54	6.389-838.0		32	10 m			Standard (not T 201 with ESB 28).	<input type="checkbox"/>
Suction hoses complete									
Suction hose, complete	55	4.440-264.0	1 piece(s)	ID 61	4 m			4 m standard suction hose with DN 61 bayonet at vacuum end and DN 61 cone at accessory end.	<input type="checkbox"/>
Suction hose complete, ID 61, smooth inside	56	4.440-328.0	1 piece(s)	ID 61	3 m			Industrial hose, PVC/elastomer with steel spiral, smooth inside.	<input type="checkbox"/>
Suction hose, complete, DN 61, 10 m	57	4.440-467.0	1 piece(s)	ID 61	10 m			10 m standard suction hose with DN 61 bayonet at vacuum end and DN 61 cone at accessory end.	<input type="checkbox"/>
Suction hose complete, ID 61, 4 m, oil-resistant	58	4.440-613.0	1 piece(s)	ID 61	4 m			Oil-resistant.	<input type="checkbox"/>
Suction hose, complete	59	4.440-614.0	1 piece(s)	ID 61	10 m				<input type="checkbox"/>
Suction hose complete, ID 61, 4 m, el.	60	4.440-616.0	1 piece(s)	ID 61	4 m			Electrically conductive.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 75/2 TACT² ME TC

1.667-289.0

KÄRCHER


		Order Number	Quantity	ID	Length	Width	Price	Description	
Hose oil resistant packaged NW50 4m	61	2.889-144.0	1 piece(s)	ID 50	4 m				<input type="checkbox"/>
Suction hose, complete	62	4.440-263.0	1 piece(s)	ID 40	4 m			Electrically non-conductive 4.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.	<input type="checkbox"/>
Suction hose complete, ID 40, 4 m, oil-resistant,	63	4.440-303.0	1 piece(s)	ID 40	4 m			Oil-resistant.	<input type="checkbox"/>
Suction hose, complete	64	4.440-463.0	1 piece(s)	ID 40	10 m			Electrically non-conductive 10.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.	<input type="checkbox"/>
Suction hose complete	65	4.440-466.0	1 piece(s)	ID 40	10 m			Electrically conductive, 10.0m, ID 40	<input type="checkbox"/>
Suction hose complete, ID 40, 10 m, oil-resistant	66	4.440-612.0	1 piece(s)	ID 40	10 m			Oil-resistant.	<input type="checkbox"/>
Connecting sleeves									
Connecting sleeve, ID 27, el.	67	4.453-006.0	1 piece(s)	ID 27				For connecting 2 suction hoses, thread on both sides, electrically conductive.	<input type="checkbox"/>
Adapter, DN 32/35, with internal thread	68	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>
Adapter, DN 40 with internal thread	69	6.900-286.0	1 piece(s)	ID 40				Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.	<input type="checkbox"/>
Connecting sleeve, ID 61, with female thread	70	6.902-078.0	1 piece(s)	ID 61				For connecting 2 suction hoses, thread on both sides	<input type="checkbox"/>
Extension hoses (Clip-system)									
Extension hose, C 40	71	6.906-344.0	1 piece(s)	ID 40	2,5 m			2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.	<input type="checkbox"/>
Other									
Pre-separator	72	3.864-010.0	1 piece(s)						<input type="checkbox"/>
Barrel separator	73	3.864-012.0	1 piece(s)						<input type="checkbox"/>
Lid for separator	74	4.063-132.0	1 piece(s)						<input type="checkbox"/>
CS 40 Me	75	2.863-026.0	1 piece(s)						<input type="checkbox"/>
Y-adapter kit									
Y-adapter kit	76	2.637-217.0	1 piece(s)	ID 35				Plastic distributor - suitable for NT vacuum cleaners.	<input type="checkbox"/>
Connecting sleeve C-DN (clip on taper), EL (electroconductive)									
C-ID 35 adapter	77	5.407-112.0	1 piece(s)	ID 35				Connects C 35 hose for ID 35, electrically conductive.	<input type="checkbox"/>
C 40 adapter	78	5.407-109.0	1 piece(s)	ID 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
C-DN 40 adapter	79	5.407-111.0	1 piece(s)	ID 40				Connects C 40 hose for ID 40, electrically conductive.	<input type="checkbox"/>
Adapter for electric power tools, clip on, el.									
Sleeve for tool C35EL	80	5.453-042.0	1 piece(s)	ID 35				3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Adapter for electric power tools, C 35, el.	81	5.453-048.0	1 piece(s)	ID 35				Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT-vacuums.	<input type="checkbox"/>
Connecting sleeve for electric tool C 35, el.	82	5.453-049.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
Adapter for electric power tools, C 35, el.	83	5.453-050.0	1 piece(s)	ID 35				Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
Connecting sleeve for electric tool C 35, el.	84	5.453-051.0	1 piece(s)	ID 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 75/2 TACT² ME TC

1.667-289.0

KÄRCHER


		Order Number	Quantity	ID	Length	Width	Price	Description	
Connecting sleeve for electric tools C 35, el.	85	5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
Adapter for electric power tools, screwable									
Adapter for electric power tools, screwable, ID 35	86	2.639-129.0	1 piece(s)	ID 35				Plastic, adaptable from ID 26-36.	<input type="checkbox"/>
Power tool adapter, threaded, DN 35	87	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>
Adapter for electric power tools, screwable, ID 35	88	5.453-026.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm.	<input type="checkbox"/>
Power tool adapter, threaded, DN 35	89	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm. External diameter: 39 mm.	<input type="checkbox"/>
	90	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mm. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Adapter (tube -> nozzle)									
Adapter	91	5.453-019.0	1 piece(s)	ID 40				From DN 40 to DN 61: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Reducing sleeves									
Reducer	92	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Sleeve C40 / C35	93	5.407-113.0	1 piece(s)	ID 40				Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.	<input type="checkbox"/>
Reducer (tube -> nozzle)									
Reducer	94	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	<input type="checkbox"/>
Reducer from ID 35 to 32	95	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
Set reducing / extension sleeves									
Set reducing / extension sleeves	96	2.860-117.0	1 piece(s)					ID 40/35, ID 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>
Target group specific vacuum cleaner accessory sets									
Professional cleaning kit ID 40	97	2.637-353.0		ID 40				Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).	<input type="checkbox"/>
Industrial kit ID 61	98	2.637-355.0		ID 61				Individual parts: Suction hose 4 m (4.440-264.0), metal bend (6.902-011.0), metal suction tubes 2 x 0.5 m (6.902-013.0), grout nozzle (6.900-926.0), aluminium flat surface tool (4.130-415.0), metal floor tool (4.130-413.0).	<input type="checkbox"/>
Chip cleaning kit	99	2.640-760.0		ID 61				Individual parts: suction hose 4 m, oil-proof (4.440-613.0), crevice tool (6.900-222.0), rubber suction nozzle angled at 45° (6.902-106.0).	<input type="checkbox"/>
UBS non-conductive media									
	100	2.642-602.0	1 piece(s)						<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 75/2 TACT² ME TC

1.667-289.0

KÄRCHER



		Order Number	Quantity	ID	Length / width	Price	Description	
Floor nozzles								
Floor nozzle cpl. 500 mm	1	4.130-413.0	1 piece(s)	ID 61	500 mm		Aluminium, oil-proof, 500 mm, with hight-adjustable rollers, strips (6.903-067.0) and rubber lips (6.906-168.1)	<input type="checkbox"/>
Other nozzles								
45° rubber suction nozzle	2	6.902-106.0	1 piece(s)	ID 61	220 mm		Angled 45°, for suction of machines, oil-resistant	<input type="checkbox"/>
Metal scratcher and scraper nozzle	3	6.903-360.0	1 piece(s)	ID 61	104 mm		Scratcher and scraper tool DN 61, sheet metal, 117 mm	<input type="checkbox"/>
Aluminium surface nozzle	4	4.130-415.0	1 piece(s)	ID 61	200 mm		Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper	<input type="checkbox"/>
Crevice tools								
Grout nozzle, synthetic	5	6.900-222.0	1 piece(s)	ID 61	370 × 64 mm		Grout nozzle, plastic, 370 mm	<input type="checkbox"/>
Grout nozzle, stainless steel	6	6.900-926.0	1 piece(s)	ID 61	370 × 90 mm		Grout nozzle, stainless steel, 400 mm	<input type="checkbox"/>
Adapter								
	7	6.902-002.0	1 piece(s)	ID 52				<input type="checkbox"/>
Suction container								
Chip sieve	8	5.731-645.0	1 piece(s)				Plastic, perforates with internal thread. Protection of the drain hose from rough splinters, chips etc.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 75/2 TACT² ME TC
1.667-289.0



		Order Number					Price	Description	
Suction hoses									
	1	2.639-905.0						Repair kit for all C-40 and ID 40 hoses	<input type="checkbox"/>
	2	6.389-839.0						(without connectors)	<input type="checkbox"/>

■ Included in delivery. ☐ Available accessories.