



T 10/1 eco!efficiency

High value dry tub vacuum with low energy consumption.

1 Large, round permanent main filter of washable nylon

- Extremely strong and dense enough for vacuuming without a filter bag.

3 Foot switch for added convenience

- No need to bend down.

2 Service-friendly

- The cord can be replaced quickly and easily by loosening two screws.



T 10/1 ecoefficiency

- Reduced power consumption
- Plug-in power cord
- Low noise level

Technical data

Order Number	1.527-414.0	
EAN code	4039784831605	
Air flow	l/s	46
Vacuum	mbar / kPa	185 / 18,5
Container capacity	l	10
Max. rated input power	W	500
Standard nominal size		35
Cable length	m	12
Sound level	dB(A)	57
Sound power level	dB(A)	71
Weight	kg	6,3
Dimensions (L x W x H)	mm	355 × 310 × 410

Equipment

Suction hose	m	2,5
Suction Tube	piece(s) / m	2 × 0,5 / Metal
Filter bag		Fleece
Switchable floor nozzle	mm	270
Antistatic system		■
Container material		Plastic
Floor tool		■
Permanent filter basket, fleece		■

■ Included in delivery.

T 10/1 ECO!EFFICIENCY 1.527-414.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Exhaust air filter									
Motor protection filter felt	1	6.414-611.0	5 piece(s)					Motor protection filter, removable fleece, which can be replaced when heavily soiled.	■
Filter foam	2	6.414-765.0	3 piece(s)					Standard exhaust filter.	■
Main filter baskets									
Main filter basket with reinforced fleece	3	5.731-649.0	1 piece(s)					Plastic frames with reinforced fleece material, washably to 40°C.	■
Plastic bend									
Elbow electrically conducting packaged N	4	2.889-148.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	■
Combi-nozzles (dry)									
Combination nozzle basalt grey packaged	5	2.889-179.0	1 piece(s)	ID 35		295 mm		Plastic floor nozzle, ID 35 switchable	■
Suction tubes metal									
Suction tube chromed NW35 - 505mm	6	6.902-074.0	1 piece(s)	ID 35	505 mm			Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.	■
Suction hoses complete (Clip-system)									
Suction hose	7	2.889-133.0	1 piece(s)	ID 35	2,5 m			2.5 m suction hose with new clip fastener, C 35.	■
Crevice nozzles									
Crevice nozzle DN32	8	6.903-403.0	1 piece(s)	ID 32	210 mm			Plastic crevice tool (DN 32) for industrial dry vacuum cleaners for vacuuming in crevices and corners.	□
Crevice nozzle packaged NW35	9	2.889-130.0	1 piece(s)	ID 35	210 mm			Plastic crevice nozzle.	□
Upholstery nozzles									
Upholstery brush	10	6.905-998.0							□
Suction hoses (Clip-system)									
Hose electrically conducting packaged NW	11	2.889-163.0	1 piece(s)	ID 35	2,5 m				□

■ Included in delivery. □ Available accessories.