



T 10/1 Adv

High value tub vacuum cleaner designed for professional cleaners

1 Large, round permanent main filter of washable nylon

Extremely strong and dense enough for vacuuming without a filter bag.

2 Service-friendly

■ The cord can be replaced quickly and easily by loosening two screws.

TECHNICAL DATA AND EQUIPMENT.





T 10/1 Adv

- Plug-in power cord
- Parking position for floor nozzle
 Extra strong permanent main filter

Technical data		
Order Number		1.527-411.0
EAN code		4039784725171
Air flow	I/s	53
Vacuum	mbar / kPa	240 / 24
Container capacity	1	10
Max. rated input power	W	800
Standard nominal size		35
Cable length	m	12
Sound level	dB(A)	59
Sound power level	dB(A)	73
Weight	kg	6,3
Dimensions (L x W x H)	mm	355 × 310 × 385

Equipment		
Suction hose	m	2,5
Suction Tube	piece(s) / m	2 × 0,5 / Metal
Filter bag		Fleece
Switchable floor nozzle	mm	270
Antistatic system		
Container material		Plastic
Floor tool		
Permanent filter basket, fleece		

■ Included in delivery.

T 10/1 ADV 1.527-411.0































			1						_
		Order Number	Quantity	ID	Length	Width	Price	Description	
Exhaust air filter			I	1	1	ı		I	1
	1	2.889-119.0	3 piece(s)						
Main filter baskets	1			1	1	ı		1	
Main filter basket with reinforced	2	5.731-649.0	1 piece(s)					Plastic frames with reinforced fleece material, washably to	1
fleece Fleece filter bags (3 ply)					<u> </u>			40°C.	4
Filter bag fleece	3	6.904-315.0	10 piece(s)		1	ı	1	Extremely tear-resistant, 3-ply fleece filter bags, dust class	1
Filter bag neece	ا ع	0.504-313.0	10 piece(s)					M. Fleece filter bags have 2 to 3 times the capacity of con-	
								ventional paper filter bags. Standard for T 10/1 and T 12/1.	- 1
Filter bag fleece 200 pcs	4	6.904-321.0	200 piece(s)					Fleece filter bag, 3-ply, tear-proof, dust class M, large-scale	\neg
								consumer unit.	
Plastic bend					,				Ļ
Elbow electrically conducting	5	2.889-148.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. With airflow con-	
packaged N								trol slide, in an antistatic design.	┙
Combi-nozzles (dry)			ı	1	1	ı			
Floor tool packaged NW35	6		1 piece(s)	ID 35		295 mm		Plastic floor nozzle, ID 35 and switchable.	4
Parquet nozzle packaged D360	7	6.905-078.0	1 piece(s)	ID 32		360 mm		Parquet nozzle NW 32 with generous 360 mm working	
DN32								width.	_
Suction tubes metal	١ .	1	l	L.D. 0.5	1.505	ı	ı	le	4
Suction tube chromed NW35 - 505mm	8	6.902-074.0	1 piece(s)	ID 35	505 mm			Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.	
Suction hoses complete (Clip-syste	m)				•				Ť
Suction hose	9	2.889-133.0	1 piece(s)	ID 35	2,5 m			2.5 m suction hose with new clip fastener, C 35.	
Paper filter (2 ply)									
Paper filtering bag 10 St. Kärcher	10	6.904-333.0	10 piece(s)					10 paper filter bags (BIA-C dust class M), suitable for all	T
								industrial dry vacuum cleaners (e.g. T 7/1 und T 10/1).	
Paper filter bags, bulk consumer	11	6.904-337.0	300 piece(s)					For bulk consumers: 300 paper filter bags (BIA-C dust class	
pack								M) suitable for all T 7/1 and T 10/1 industrial dry vacuum	
-1.50								cleaners.	l
Fabric filter bag	۱	1	l	1	I	I	ı	Le 11 Cli 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Filter bag cloth	12	6.904-316.0	1 piece(s)					Cotton filter bags, washable up to 40°C, suitable for T7/1, T	
Crevice nozzles								10/1 and T 12/1 models.	_
Crevice nozzle DN32	13	6.903-403.0	1 piece(s)	ID 32	210 mm	l	I	Plastic crevice tool (DN 32) for industrial dry vacuum clea-	٦
CIEVICE HOZZIE DIV32	13	0.505 405.0	1 piece(s)	10 32	210 111111			ners for vacuuming in crevices and corners.	
Crevice nozzle packaged NW35	14	2.889-130.0	1 piece(s)	ID 35	210 mm			Plastic crevice nozzle.	T
Upholstery nozzles			1						_
Upholstery brush	15	6.905-998.0							1
Suction brushes	13								_
Suction brush DN32	16	6.903-887.0	1 piece(s)	ID 32		70 mm		Rotatable suction brush (DN 32 plastic) with PA bristles,	1
			_ p.ccc(5)	1.5 52				70x45 mm. Only for BV and T vacuum cleaners.	
Turbo nozzle									Ī
Upholstery nozzle TURBO	17	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with	
*								reduction sleeve.	
Floor tool TURBO DN 35/32	18	2.860-114.0	1 piece(s)	ID 32	_	270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduc-	
								tion sleeve.	\perp
Suction hoses (Clip-system)			I	1	1			I	-
Hose electrically conducting pa-	19	2.889-163.0	1 piece(s)	ID 35	2,5 m				
ckaged NW			L						\perp

T 10/1 ADV 1.527-411.0







		Order Number	Quantity	ID	Length	Width	Price	Description	
Connecting sleeves					'				
Adapter, DN 32/35, with internal thread	20	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	
Adapter (tube -> nozzle)									
Adapter	21	6.902-083.0	1 piece(s)	ID 32				From DN 32 to DN 35: Plastic adapter (electrically non-conductive). Suitable for BV and T vacuum cleaners.	

[■] Included in delivery.

Available accessories.