



NT 70/2

High capacity powerful wet/dry vacuum cleaner with twin suction motors for heavy-duty use

1 On-board accessory storage

Large bumper with accessory storage.

3 Ergonomic push handle

The NT 70 has an ergonomic push handle for greater manoeuvrability.

2 Integrated drain hose


■ The container is easy to empty via the drain hose. Extremely practical due to the very large 70 litre container capacity.

4 Robust bumper

The robust bumper protects the vacuum cleaner from knocks and bumps.

TECHNICAL DATA AND EQUIPMENT.





NT 70/2

- Robust bumper, large wheels
- Ergonomic push handleOptional wet filter available

Technical data		
Order Number		1.667-277.0
EAN code		4039784725447
Air flow	I/s	2 x 74
Vacuum	mbar / kPa	254 / 25,4
Container capacity	I	70
Max. rated input power	W	2400
Standard nominal size		ID 40
Cable length	m	10
Sound level	dB(A)	75
Container material		Plastic
Quantity of motors		2
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	25,2
Dimensions (L x W x H)	mm	720 × 510 × 975

Equipment		
Suction hose	m	4
Suction Tube	piece(s) / m	2 × 0,5 / Metal
Filter bag		Paper
Wet and dry floor tool	mm	400
Crevice nozzle		
Cartridge filter		1
Cartridge filter		Paper
■ Included in delivery		



























		Order Number	Quantity	ID	Length	Width	Price	Description	
Cartridge filter paper									
Cartridge filter, paper	1	6.907-038.0	1 piece(s)					Paper cartridge filter (M BIA-C dust class M), suitable as a main filter for dry and wet pick up.	
Plastic bend									
Elbow packaged NW40 1K	2		1 piece(s)	ID 40				Bend for the new clip system in nominal size DN 40.	
Plastic bend	3	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	
	4	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	
	5	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	
All-purpose nozzles (wet/dry)									
Floor tool packaged NW40 360mm	6	2.889-153.0	1 piece(s)	ID 40		360 mm			
Floor tool DN40-370	7	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
Floor tool neutrally DN40	8	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	
Floor tool neutrally DN35	9	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
Wet and dry floor nozzle	10	2.889-117.0	1 piece(s)	ID 40		400 mm		The wet and dry floor nozzle (DN 40) allows quick changing of the squeegees/brush and is ideal for wet vacuum cleaning of large areas.	
Crevice nozzles									
Crevice nozzle DN 40 300mm 1:50	11	5.130-655.0							
Crevice nozzle DN35	12		1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	
Crevice nozzle	13		1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	
Crevice nozzle DN40	14	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	
Suction tubes stainless steel									
Set suction tube stainless steel NW40 55	15	2.889-194.0	1 piece(s)	ID 40	550 mm			Stainless steel suction tube set (2 × 0.55 m)	
Suction tube, ID 40	16	6.902-081.0	1 piece(s)	ID 40	0,5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	
Suction tube	17	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	
Suction tube, DN 35	18	6.902-154.0	1 piece(s)	ID 35	0,5 m			0.5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming applications and for vacuuming corrosive components.	
Suction hoses complete (Clip-syster		1	1			I			
Suction hose	19	-	1 piece(s)	ID 40	4 m			4 m suction hose with new bayonet and clip fastener.	
	20	4.440-784.0	1 piece(s)	ID 40	16 m			16 m suction hose (C-DN 40) with bayonet and straight adapter.	































				1					т
		Order Number	Quantity	ID	Length	Width	Price	Description	
Electrically conductive suction hose	21	2.889-137.0	1 piece(s)	ID 35	4 m			4 m suction hose with new bayonet and clip fastener. Electrically conductive.	
Suction hose	22	2.889-139.0	1 piece(s)	ID 40	2,5 m			Suction hose with new bayonet and clip fastener. Length: 2.5 m.	
Suction hose, oil-resistant	23	2.889-140.0	1 piece(s)	ID 40	4 m			Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m.	
Electrically conductive suction hose	24	2.889-141.0	1 piece(s)	ID 40	4 m			4 m, electrically conductive suction hose with new bayonet and clip fastener.	
	25	2.889-142.0	1 piece(s)	ID 40	2,5 m			Suction hose, electrically conductive, with new bayonet and clip fastener. 2.5 m long.	
Membrane filter / fabric filter									T
Membrane filter/fabric filter	26	6.904-282.0	1 piece(s)					Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.	
Paper filter (2 ply)			1	1	1			Threading an industrial two motor in vacoum creamers.	
Filter bags 5StNT 65/2 ECO	27	6.904-285.0	5 piece(s)					5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.	
Plastic sacks for dust-free disposal				•					
Plastic sacks for dust-free disposal	28	6.900-698.0	10 piece(s)					PE plastic sack.	
Special filter bags, wet filter bags									
Special filter bags, wet filter bags	29	6.904-252.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	Г
Bend stainless									
Bend, stainless steel ID 35	30	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	
Bend, stainless steel ID 40	31	6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40	
Bend metal			l.	1					
Bend, DN 35, metal	32	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).	
Bend, DN 40, metal	33	6.900-276.0	1 piece(s)	ID 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).	
Car cleaning nozzles			'	'					
Car nozzle	34	6.900-952.0	1 piece(s)	ID 40		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	
Gangway nozzles									
Gangway nozzle	35	4.130-432.0	1 piece(s)	ID 40		644 mm		Vacuuming larger Areas in connection with NT 70/1, NT 70/2 or NT 70/3 versions only.	
Rubber suction tools, nose 45°					_				
Rubber suction tools, nose 45°	36	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	L
	37	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
Pipe dusting nozzles									
BRUSH	38	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	
Continue bounds on	39	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	
Suction brushes Suction brush DN35	40	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum clea-	































	Order Number	Quantity	ID	Length	Width	Price	Description
41	6.903-887.0	1 piece(s)	ID 32		70 mm		Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners.
42	6.900-514.0	1 piece(s)	ID 35	0,5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.
43	2.639-873.0	1 piece(s)	ID 40				Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.
44	2.862-038.0	1 piece(s)	ID 61				Suction hose repair kit. Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I.
		1					,
45	6.906-279.0	1 piece(s)	40	10 m			10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end.
46	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.
47	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.
48	6.906-635.0	1 piece(s)	40	16 m			With bayonet and clip connection.
49	6.906-877.0	1 piece(s)	40	10 m			Suction hose with bayonet coupling, electrically conductive.
	,	1					,
50	4.440-264.0	1 piece(s)	ID 61	4 m			4 m standard suction hose with DN 61 bayonet at vacuum end and DN 61 cone at accessory end.
51	4.440-467.0	1 piece(s)	ID 61	10 m			10 m standard suction hose with DN 61 bayonet at vacuum end and DN 61 cone at accessory end.
52	4.440-613.0	1 piece(s)	ID 61	4 m			Oil-resistant.
53	4.440-616.0	1 piece(s)	ID 61	4 m			Electrically conductive.
54	4.440-263.0	1 piece(s)	ID 40	4 m			Electrically non-conductive 4.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.
55	4.440-303.0	1 piece(s)	ID 40	4 m			Oil-resistant.
56	4.440-463.0	1 piece(s)	ID 40	10 m			Electrically non-conductive 10.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.
57	4.440-466.0	1 piece(s)	ID 40	10 m			Electrically conductive, 10.0m, ID 40
58	4.440-612.0	1 piece(s)	ID 40	10 m			Oil-resistant.
59	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.
60	6.900-286.0	1 piece(s)	ID 40				Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.
61	6.902-078.0	1 piece(s)	ID 61				For connecting 2 suction hoses, thread on both sides
	42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58	41 6.903-887.0 42 6.900-514.0 43 2.639-873.0 44 2.862-038.0 45 6.906-279.0 46 6.906-321.0 47 6.906-346.0 48 6.906-635.0 49 6.906-877.0 50 4.440-264.0 51 4.440-467.0 52 4.440-613.0 53 4.440-616.0 54 4.440-263.0 55 4.440-303.0 56 4.440-463.0 57 4.440-466.0 58 4.440-612.0 59 6.902-077.0 60 6.900-286.0	42 6.900-514.0 1 piece(s) 43 2.639-873.0 1 piece(s) 44 2.862-038.0 1 piece(s) 45 6.906-279.0 1 piece(s) 46 6.906-321.0 1 piece(s) 47 6.906-546.0 1 piece(s) 48 6.906-635.0 1 piece(s) 49 6.906-877.0 1 piece(s) 50 4.440-264.0 1 piece(s) 51 4.440-467.0 1 piece(s) 52 4.440-613.0 1 piece(s) 53 4.440-616.0 1 piece(s) 54 4.440-263.0 1 piece(s) 55 4.440-303.0 1 piece(s) 56 4.440-463.0 1 piece(s) 57 4.440-463.0 1 piece(s) 58 4.440-612.0 1 piece(s) 59 6.902-077.0 1 piece(s)	41 6.903-887.0 1 piece(s) ID 32 42 6.900-514.0 1 piece(s) ID 35 43 2.639-873.0 1 piece(s) ID 40 44 2.862-038.0 1 piece(s) ID 61 45 6.906-279.0 1 piece(s) 40 46 6.906-321.0 1 piece(s) 40 47 6.906-546.0 1 piece(s) 40 48 6.906-635.0 1 piece(s) 40 49 6.906-877.0 1 piece(s) 40 50 4.440-264.0 1 piece(s) ID 61 51 4.440-467.0 1 piece(s) ID 61 52 4.440-613.0 1 piece(s) ID 61 53 4.440-616.0 1 piece(s) ID 40 55 4.440-303.0 1 piece(s) ID 40 56 4.440-463.0 1 piece(s) ID 40 57 4.440-466.0 1 piece(s) ID 40 59 6.902-077.0 1 piece(s) ID 40 59 6.902-077.0 1 piece(s) ID 40	41 6.903-887.0 1 piece(s) ID 32 42 6.900-514.0 1 piece(s) ID 35 0.5 m 43 2.639-873.0 1 piece(s) ID 40 44 2.862-038.0 1 piece(s) ID 61 45 6.906-279.0 1 piece(s) 40 4 m 46 6.906-321.0 1 piece(s) 40 4 m 47 6.906-546.0 1 piece(s) 40 4 m 48 6.906-635.0 1 piece(s) 40 10 m 50 4.440-264.0 1 piece(s) 40 10 m 51 4.440-467.0 1 piece(s) ID 61 4 m 52 4.440-613.0 1 piece(s) ID 61 4 m 53 4.440-616.0 1 piece(s) ID 40 4 m 54 4.440-303.0 1 piece(s) ID 40 4 m 55 4.440-463.0 1 piece(s) ID 40 10 m 57 4.440-612.0 1 piece(s) ID 40 10 m 59 6.902-077.0 1 piece(s) ID 40 10 m	41 6.903-887.0 1 piece(s) ID 32 70 mm 42 6.900-514.0 1 piece(s) ID 35 0,5 m 43 2.639-873.0 1 piece(s) ID 40 44 2.862-038.0 1 piece(s) ID 61 45 6.906-279.0 1 piece(s) 40 4 m 46 6.906-321.0 1 piece(s) 40 4 m 47 6.906-321.0 1 piece(s) 40 4 m 48 6.906-35.0 1 piece(s) 40 16 m 49 6.906-877.0 1 piece(s) 40 10 m 50 4.440-264.0 1 piece(s) ID 61 4 m 51 4.440-467.0 1 piece(s) ID 61 4 m 52 4.440-613.0 1 piece(s) ID 61 4 m 53 4.440-263.0 1 piece(s) ID 40 4 m 55 4.440-303.0 1 piece(s) ID 40 10 m 56 4.440-466.0 1 piece(s) ID 40 10 m 57 4.440-612.0 1 piece(s) ID 40 10 m	41 6.903-887.0 1 piece(s) ID 32 70 mm 42 6.900-514.0 1 piece(s) ID 35 0.5 m 43 2.639-873.0 1 piece(s) ID 40 44 2.862-038.0 1 piece(s) ID 61 45 6.906-279.0 1 piece(s) 40 10 m 46 6.906-321.0 1 piece(s) 40 4 m 47 6.906-635.0 1 piece(s) 40 16 m 49 6.906-877.0 1 piece(s) 40 10 m 50 4.440-264.0 1 piece(s) ID 61 4 m 51 4.440-467.0 1 piece(s) ID 61 10 m 52 4.440-613.0 1 piece(s) ID 61 4 m 53 4.440-616.0 1 piece(s) ID 61 4 m 54 4.440-263.0 1 piece(s) ID 61 4 m 55 4.440-303.0 1 piece(s) ID 40 4 m 56 4.440-463.0 1 piece(s) ID 40 4 m 57 4.440-463.0 1 piece(s) ID 40 10 m 58 4.440-463.0 1 piece(s) ID 40 10 m 59 6.902-077.0 1 piece(s) ID 40 10 m 59 6.902-077.0 1 piece(s) ID 32

[■] Included in delivery.

Available accessories.

NT 70/2 1.667-277.0





























			1						
		Order Number	Quantity	ID	Length	Width	Price	Description	
Enterview house (Clim anatom)		Graci Homber	quantity	1.5	zengen	Width	11100	Description	_
Extension hoses (Clip-system)	1	1		l.s. 40	Los	ı	1	les communities and a second	
Extension hose, C 40	62	6.906-344.0	1 piece(s)	ID 40	2,5 m			2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.	
Other									
CS 40 Me	63	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	
Y-adapter kit			ı	1					
Y-adapter kit		2.637-217.0	1 piece(s)	ID 35				Plastic distributor - suitable for NT vacuum cleaners.	
Connecting sleeve C-DN (clip on to	1	1			1				
C-ID 35 adapter	65	5.407-112.0	1 piece(s)	ID 35				Connects C 35 hose for ID 35, electrically conductive.	
Adapter (tube -> nozzle)			ı		1				
Adapter	66	5.453-019.0	1 piece(s)	ID 40				From DN 40 to DN 61: Plastic adapter (electrically non- conductive). Suitable for NT vacuum cleaners.	
Reducing sleeves									
Reducer	67	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	
Sleeve C40 / C35	68	5.407-113.0	1 piece(s)	ID 40				Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.	
Reducer (tube -> nozzle)		'						1	
Reducer	69	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	1 🗆
Reducer from ID 35 to 32	70	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	
Target group specific vacuum clea	aner acc	essory sets							
Professional cleaning kit ID 40	71	2.637-353.0		ID 40				Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).	
Car cleaning kit	72	2.862-166.0		ID 35				Contains: - Car cleaning nozzle ID 35 - Upholstery/crevice tool ID 35 - Suction brush ID 35 - Connecting sleeve C 35/ID 35	
Chip cleaning kit	73	2.640-760.0		ID 61				Individual parts: suction hose 4 m, oil-proof (4.440-613.0), crevice tool (6.900-222.0), rubber suction nozzle angled at 45° (6.902-106.0).	
Coarse filter for wet pickup									
Foam filter	74	2.889-083.0	1 piece(s)					Not suitable for dry vacuuming.	

lacksquare Included in delivery. \Box Available accessories.